



COMMISSION DELEGATED REGULATION (EU) 2019/2015  
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

## General Information

Trade mark	EGLO
Material number	11818
Type	Bulb
Light colour Complete	WARM WHITE
Illuminant Type (1)	E27-LED-CUBE
EAN/UPC	9002759118181

## Dimensions



Article Diameter (in mm)	95
Article Length (in mm)	155

## Technical Information

Equivalent power (W)	27
Nominal Lifetime (in h)	25000
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	E27
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Rated useful lumen	180
Color temperature (K)	1600
Nominal wattage (W)	4
Chromaticity coordinates x (1)	0,5777
Chromaticity coordinates y (1)	0,4097
Color rendering index (CRI)	80
R9 Color Rendering Index	16
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,96
Displacement factor DF (PF)	0,70
Flicker Metric / Pst LM	1
Stroboscopic Effect Metric / SVM	0,4

## Switch information

Switching Cycles	50,000
------------------	--------





COMMISSION DELEGATED REGULATION (EU) 2019/2015  
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

## General Information

Trade mark	EGLO
Material number	11819
Type	Bulb
Light colour Complete	WARM WHITE
Illuminant Type (1)	E27-LED-CUBE
EAN/UPC	9002759118198

## Dimensions

Article Diameter (in mm)	95
Article Length (in mm)	155

## Technical Information

Equivalent power (W)	11
Nominal Lifetime (in h)	25000
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	E27
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Rated useful lumen	50
Color temperature (K)	1700
Nominal wattage (W)	4
Chromaticity coordinates x (1)	0,5679
Chromaticity coordinates y (1)	0,4157
Color rendering index (CRI)	80
R9 Color Rendering Index	17
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,96
Displacement factor DF (PF)	0,70
Flicker Metric / Pst LM	1
Stroboscopic Effect Metric / SVM	0,4

## Switch information

Switching Cycles 50,000

