



## 11699 LM\_LED\_E14

### Compatible Dimmers

Berker - 2873  
Busch - 2247 U  
Busch - 2250 U  
Busch - 6523 U  
Busch - 6523 U-102  
Busch - 6524 U  
CLIPSAL - 32E450UDM  
Eltako - EUD61NPN  
GIRA - 0300 00/I01  
GIRA - 0307 00/I02  
GIRA - 2262 00/I00  
GIRA - 238500/I00  
JUNG - 225 NV DE  
JUNG - 225 TDE  
JUNG - 266 GDE  
Legrand - 400T  
Legrand - 7759 03  
PEHA - 433 HAB  
PEHA - 434  
SIEMENS - 5TC8 263  
SIEMENS - 5TC8211-0  
Schalk - 123215



### General Information

Article 11699

Technical changes reserved

Type	illuminant
Technology	LED - HV
LED Colour	WARM WHITE
Socket	E14
Illuminant Type	E14-LED-CF35
Energy Efficiency	A+
kWh/1000h	4
EAN Code	9002759116996



## Dimensions

Width	118 mm
Diameter	35 mm

## Light Information

Rated Luminous Flux	320 lm
Nominal Luminous Flux	320 lm
Nominal Beam Angle	300 °
Colour Temperature	1700 K
Nominal Colour Rendering (CRI)	>80 Ra
Colour consistency Index	<6

## Switch information

Dimmable	yes
Starting Time	0,5 sec
Warm-Up Time up to 60%	1 sec
Switching Cycles	15000

## Technical Information

Technical changes reserved



**EGLO Leuchten GmbH**  
Heiligkreuz 22 | 6136 Pill | Austria  
Tel. +43 (0) 5242 / 6996 - 0  
Fax: +43 (0) 5242 / 6996 - 938  
[www.eglo.com](http://www.eglo.com)

my light | my style

Nominal Current	20 mA
Nominal Power	4 W
Rated Power	4 W
Comparison with Incandescent	30 W
Power Factor	0.9
Nominal Lifetime	25,000 h
Ambient Temperature	25 °C



### Lumen Maintainance Factor

At the end of nominal life 0.7

Technical changes reserved



**EGLO Leuchten GmbH**  
Heiligkreuz 22 | 6136 Pöll | Austria

Tel. +43 (0) 5242 / 6996 - 0  
Fax: +43 (0) 5242 / 6996 - 938  
[www.eglo.com](http://www.eglo.com)

my light | my style