Data Sheet



Last modification

2023-07-15

ANNI TL-GYWH 9329501059012



Casual and subtle, natural appeal in this ceramic table lamp. A simple ribbed ceramic body saturated in a glossy glaze. Brushed nickel metal accents blend beautifully with a delicate crystal base. Topped in a classic, white poly-cotton drum shade.

Overview

Family name Anni

CategoriesTable LampsThis item includesShadeShade ShapeDrumSwitchInline SwitchUsageIndoor LightingERAC Product RegistrationE2021050423

Color / Material

Fixture ColorGrey, WhiteFixture Pantone Color4195 CPFixture FinishGloss

Fixture Material Fabric, Ceramic

Shade Color White

Shade Material Fabric, Plastic

Base ColorGreyBase MaterialCeramicCable ColorBlackCable MaterialPVC

Size

Fixture Diameter (cm) 26.0
Fixture Height (cm) 41.5
Shade Diameter (cm) 26.0
Shade Height (cm) 18.0

Cable Length (cm)180 (30+Inline Switch+150)

Data Sheet



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Electrical Protection CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED

IP rating IP20
Lead and Plug Yes
Approvals RCM
Assembly Required Yes

Box Contents Instruction

Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501059012

Globe Type Recommended

Label	Color Temperature	Thumbnail	GTIN
G A608E27CL			

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet

Telbix.









All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.