Data Sheet



Last modification

2023-11-15

ARCHER PE6-AG3K 9329501067529



The Archer bespoke pendant blends opulence with craftsmanship, featuring hand-made gold leaf arms that cradle artisan-formed glass. A marriage of elegance and innovation, it boasts a replaceable LED light source, combining timeless aesthetics with modern efficiency. Illuminate your space with this exquisite piece, where artistry meets functionality.

Overview

Family name Archer
Categories Pendants

Suspension TypeRod (1x300)+(2x600)UsageIndoor Lighting

Color / Material

Fixture ColorAntique GoldFixture FinishGlossFixture MaterialIron, Crystal

Size

Fixture Diameter (cm) 50.0

Fixture Height (cm) 100.0

Canopy Diameter (cm) 16.0

Suspension Length (cm) 150.0

Height Adjustable? Yes

Specification

1

Voltage Input 240V Total Wattage (max) 18 Wattage 3

Globe Type LED integrated SMD

Globe / Light Source qty 6
Globe / Light Source included Yes
Color Kelvin 3000k
Dimmable No

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet



IP rating IP20 Approvals RCM

Box ContentsInstruction, Basic mounting screwsInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years


<u>Barcode</u>

GTIN 9329501067529

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.