



General Information

Material number	99408
Type	ceiling light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar
FSC®	FSC® Mix FSC® C152762

Dimensions

Article Height (in mm)	90
Article Width (in mm)	400
Article Length (in mm)	780
Net Weight (in kg)	1.98 Kilogram

Material & Colour

Enclosure Material	steel, wood
Enclosure Colour	black, brown rustic
Glass/Shade Material	plastic
Glass/Shade Colour	white

Functionality

Switch Type	without switch
Battery	No

Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	No
max. Wattage (1)	1X12W
max. Wattage (2)	1X12W

Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	1700;1700
Kelvin Complete	3000K
Light colour Complete	WARM WHITE;WARM WHITE
Energy efficiency class (EEI)	E
Dimmable	No
Info changeability□light source/driver	LED + driver can be exchanged by a specialist

Illuminant 2

Socket Type (2)	LED
Illuminant Type (2)	LED
Illuminant incl. (2)	Inclusive
Lumen Complete	1700;1700
Kelvin Complete	3000K
Light colour Complete	WARM WHITE;WARM WHITE
Dimmable	No
Info changeability□light source/driver	LED + driver can be exchanged by a specialist





General Information

Material number	99467
Type	ceiling light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar

Dimensions

Article Height (in mm)	90
Article Width (in mm)	400
Article Length (in mm)	780
Net Weight (in kg)	2.25 Kilogram

Material & Colour

Enclosure Material	steel, wood
Enclosure Colour	black, brown
Glass/Shade Material	plastic
Glass/Shade Colour	white

Functionality

Switch Type	without switch
Battery	No

Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	No
max. Wattage (1)	1X12W
max. Wattage (2)	1X12W

Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	1700;1700
Kelvin Complete	3000K
Light colour Complete	WARM WHITE;WARM WHITE
Energy efficiency class (EEI)	E
Dimmable	No
Info changeability□light source/driver	LED + driver can be exchanged by a specialist

Illuminant 2

Socket Type (2)	LED
Illuminant Type (2)	LED
Illuminant incl. (2)	Inclusive
Lumen Complete	1700;1700
Kelvin Complete	3000K
Light colour Complete	WARM WHITE;WARM WHITE
Dimmable	No
Info changeability□light source/driver	LED + driver can be exchanged by a specialist

