

## Driver 24V Slim 30W

### Constant Voltage LED Driver



#### Description

DRIVER-24V-SLIM Series are a range of indoor Slim Linear non-dimmable 24V DC Constant Voltage LED Drivers for use with LED strip lighting, LED profiles and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Indoor use only. Choose from 30W, 60W, 100W and 150W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.

#### Specification Features

Input Voltage:	240V AC
Power (W):	30W
Output Voltage:	24V DC
Output Current:	1.25A
Dimmable:	No
IP rating (IP):	IP20
Voltage Tolerance:	+/-0.5V
Voltage Regulation:	+/-0.5%
Power Factor:	PF>0.96
Working Temp:	-40~+60°C
Working Humidity:	20~90%RH
Efficiency:	up to 79%
Weight (g):	200
Size (mm):	260x30x18.5



#### Diagrams / Additional

Item No.	Variant	Wattage
DRIVER-24V-SLIM	20173	30W



## Driver 24V Slim 60W

### Constant Voltage LED Driver



#### Description

DRIVER-24V-SLIM Series are a range of indoor Slim Linear non-dimmable 24V DC Constant Voltage LED Drivers for use with LED strip lighting, LED profiles and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Indoor use only. Choose from 30W, 60W, 100W and 150W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.


#### Specification Features

Input Voltage:	240V AC
Power (W):	60W
Output Voltage:	24V DC
Output Current:	2.5A
Dimmable:	No
IP rating (IP):	IP20
Voltage Tolerance:	+/-0.5V
Voltage Regulation:	+/-0.5%
Power Factor:	PF>0.96
Working Temp:	-40~+60°C
Working Humidity:	20~90%RH
Efficiency:	up to 79%
Weight (g):	350
Size (mm):	300x30x18.5



#### Diagrams / Additional

Item No.	Variant	Wattage
DRIVER-24V-SLIM	20174	60W



## Driver 24V Slim 100W

### Constant Voltage LED Driver



#### Description

DRIVER-24V-SLIM Series are a range of indoor Slim Linear non-dimmable 24V DC Constant Voltage LED Drivers for use with LED strip lighting, LED profiles and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Indoor use only. Choose from 30W, 60W, 100W and 150W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.

#### Specification Features

Input Voltage:	240V AC
Power (W):	100W
Output Voltage:	24V DC
Output Current:	4.17A
Dimmable:	No
IP rating (IP):	IP20
Voltage Tolerance:	+/-0.5V
Voltage Regulation:	+/-0.5%
Power Factor:	PF>0.96
Working Temp:	-40~+60°C
Working Humidity:	20~90%RH
Efficiency:	up to 79%
Weight (g):	350
Size (mm):	330x30x22



#### Diagrams / Additional



Item No.	Variant	Wattage
DRIVER-24V-SLIM	20175	100W

## Driver 24V Slim 150W

### Constant Voltage LED Driver



#### Description

DRIVER-24V-SLIM Series are a range of indoor Slim Linear non-dimmable 24V DC Constant Voltage LED Drivers for use with LED strip lighting, LED profiles and much more. Secondary side short circuit protection. Thermal overload protection, over temperature protection and over voltage protection. Complete with 1M flex and plug. Non-dimmable. Indoor use only. Choose from 30W, 60W, 100W and 150W wattages. Parallel wiring. Backed by a 5 Year replacement Warranty.



#### Specification Features

Input Voltage:	240V AC
Power (W):	150W
Output Voltage:	24V DC
Output Current:	6.25A
Dimmable:	No
IP rating (IP):	IP20
Voltage Tolerance:	+/-0.5V
Voltage Regulation:	+/-0.5%
Power Factor:	PF>0.96
Working Temp:	-40~+60°C
Working Humidity:	20~90%RH
Efficiency:	up to 79%
Weight (g):	350
Size (mm):	368x30x22.5

#### Diagrams / Additional

Item No.	Variant	Wattage
DRIVER-24V-SLIM	20176	150W

