

COMMISSION DELEGATED REGULATION (EU) 2019/2015
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

General Information



Trade mark	EGLO
Material number	110017
Type	Bulb
Light colour Complete	WARM WHITE
Illuminant Type (1)	E14-LED-CF35
EAN/UPC	9008606227556
Energy efficiency class (EEI)	F

Dimensions


Article Diameter (in mm)	35
Article Length (in mm)	120

Technical Information

Equivalent power (W)	32
item-number LED-board (1)	110017
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	E14
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	No
Energy consumption (kWh/1000h)	4
Rated useful lumen	350
Beam angle (°) - at measurement	360
Color temperature (K)	2700
Nominal wattage (W)	4
Standby power (P sb, W)	0
Chromaticity coordinates x (1)	0,4625
Chromaticity coordinates y (1)	0,4242
Color rendering index (CRI)	80
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,93
Flicker Metric / Pst LM	0,1
Stroboscopic Effect Metric / SVM	0,1



110045 LM_LED_E14 - V1



COMMISSION DELEGATED REGULATION (EU) 2019/2015
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

General Information

Trade mark	EGLO
Material number	110045
Type	Bulb
Light colour Complete	WARM WHITE
Illuminant Type (1)	E14-LED-CF35
EAN/UPC	9008606227808
Energy efficiency class (EEI)	E

Dimensions

Article Diameter (in mm)	35
Article Length (in mm)	120

110045

LM_LED_E14 - V1

Technical Information

Equivalent power (W)	40
item-number LED-board (1)	110045
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	E14
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	No
Energy consumption (kWh/1000h)	4
Rated useful lumen	470
Beam angle (°) - at measurement	360
Color temperature (K)	2700
Nominal wattage (W)	4
Standby power (P _{sb} , W)	0
Chromaticity coordinates x (1)	0,4655
Chromaticity coordinates y (1)	0,4243
Color rendering index (CRI)	80
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,93
Flicker Metric / Pst LM	0,1
Stroboscopic Effect Metric / SVM	0,1

