

COMMISSION DELEGATED REGULATION (EU) 2019/2015
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

General Information


Trade mark	EGLO
Material number	110156
Type	Bulb
Light colour Complete	WARM WHITE
Illuminant Type (1)	G9-LED
EAN/UPC	9008606228805
Energy efficiency class (EEI)	F

Dimensions


Article Diameter (in mm)	16
Article Length (in mm)	49

Technical Information

Equivalent power (W)	30
item-number LED-board (1)	110156
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	G9
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Energy consumption (kWh/1000h)	3
Rated useful lumen	320
Color temperature (K)	3000
Nominal wattage (W)	3
Standby power (P _{sb} , W)	0
Chromaticity coordinates x (1)	0,4365
Chromaticity coordinates y (1)	0,3957
Color rendering index (CRI)	80
Lamp survival factor @3000h	> = 93,1 %
Lumen maintenance factor @3000h % in decimal number	0,95
Flicker Metric / Pst LM	0,1
Stroboscopic Effect Metric / SVM	0,3



110157 LM_LED_G9 - V1



COMMISSION DELEGATED REGULATION (EU) 2019/2015
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

General Information

Trade mark	EGLO
Material number	110157
Type	Bulb
Light colour Complete	WHITE
Illuminant Type (1)	G9-LED
EAN/UPC	9008606228812
Energy efficiency class (EEI)	F

Dimensions

Article Diameter (in mm)	16
Article Length (in mm)	49

Technical Information

Equivalent power (W)	30
item-number LED-board (1)	110157
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	G9
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Energy consumption (kWh/1000h)	3
Rated useful lumen	320
Color temperature (K)	4000
Nominal wattage (W)	3
Standby power (P _{sb} , W)	0
Chromaticity coordinates x (1)	0,3804
Chromaticity coordinates y (1)	0,3795
Color rendering index (CRI)	82
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,93
Flicker Metric / Pst LM	0,1
Stroboscopic Effect Metric / SVM	0,3

