



General Information

Material number	204389
Type	wall light
Product segment	Outdoor
Theme	sonstige / nicht zuordenbar

Dimensions

Article Height (in mm)	205
Article Length (in mm)	120
Net Weight	0.71 Kilogram
Article Overhang (in mm)	165

Material & Colour

Enclosure Material	cast aluminium
Enclosure Colour	white

Functionality

Switch Type	sensor
Sensor Angle (in °)	160
Sensitivity min. (in lux)	3
Sensitivity max. (in lux)	2000
Burning Time min. (in sec.)	10
Burning Time max. (in sec.)	420
Distance (in Meter)	8
Function	LED not replaceable CCT
Battery	No

Technical Information

Protection Degree	IP54
Protection Class	1
Dimmable	No
max. Wattage (1)	1X15W

Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	1150
Kelvin Complete	3000K, 4000K, 6000K
Light colour Complete	TRICOLOUR
Dimmable	No
Function	LED not replaceable CCT





General Information

Material number	204391
Type	wall light
Product segment	Outdoor
Theme	sonstige / nicht zuordenbar

Dimensions

Article Height (in mm)	205
Article Length (in mm)	120
Net Weight	0.71 Kilogram
Article Overhang (in mm)	165

Material & Colour

Enclosure Material	cast aluminium
Enclosure Colour	black

Functionality

Switch Type	sensor
Sensor Angle (in °)	160
Sensitivity min. (in lux)	3
Sensitivity max. (in lux)	2000
Burning Time min. (in sec.)	10
Burning Time max. (in sec.)	420
Distance (in Meter)	8
Function	LED not replaceable CCT
Battery	No

Technical Information

Protection Degree	IP54
Protection Class	1
Dimmable	No
max. Wattage (1)	1X15W

Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	1150
Kelvin Complete	3000K, 4000K, 6000K
Light colour Complete	TRICOLOUR
Dimmable	No
Function	LED not replaceable CCT

