

39401 PRINCIPE

General Information

Article	39401
Type	ceiling luminaire
Collection	other/non-attributable
EAN Code	9002759394011

Dimensions

Height	105 mm
Diameter	500 mm
Weight	5.32


Illuminant 1

Socket	LED
Illuminant	LED
Delivery	incl.
Wattage	10x 3,15W
Luminous Flux	3800 lm
Luminous Colour	3000 warm white
Energy Efficiency	A++
Dimmable	yes



Material & Colour

Enclosure Material	steel
Enclosure Colour	chrome



Technical changes reserved

Glass / Shade Material crystal
Glass / Shade Colour clear



Technical Information

Protection Class 2
Line Voltage 220-240V,50/60Hz

Compatible Dimmers

Berker - 2830 10
Berker - 286710
Berker - 2873
Berker - 8542 12 00
Busch - 2247 U
Busch - 2250 U
Busch - 6513 U-102
Busch - 6519 U
Busch - 6523 U
Busch - 6523 U-102
Busch - 6524 U
CLIPSAL - 32E450UDM
ELKO - 315GLE
Eltako - EUD61NPN
GIRA - 0307 00/I02
GIRA - 2262 00/I00
GIRA - 238500/I00
Hamilton - LITESTAT
JUNG - 225 NV DE
JUNG - 225 TDE
JUNG - 266 GDE
Legrand - 400T
Legrand - 7759 03
PEHA - 433 HAB
PEHA - 434

Technical changes reserved



EGLO Leuchten GmbH
Heiligkreuz 22 | 6136 Pill | Austria
Tel. +43 (0) 5242 / 6996 - 0
Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style

SIEMENS - 5TC8 263
SIEMENS - 5TC8 284
SIEMENS - 5TC8211-0
Schalk - 123215



Technical changes reserved



EGLO Leuchten GmbH
Heiligkreuz 22 | 6136 Pill | Austria

Tel. +43 (0) 5242 / 6996 - 0
Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style

39402 PRINCIPE

General Information

Article	39402
Type	ceiling luminaire
Collection	other/non-attributable
EAN Code	9002759394028

Dimensions

Height	125 mm
Diameter	700 mm
Weight	8.72


Illuminant 1

Socket	LED
Illuminant	LED
Delivery	incl.
Wattage	14x 3,15W
Luminous Flux	5320 lm
Luminous Colour	3000 warm white
Energy Efficiency	A++
Dimmable	yes



Material & Colour

Enclosure Material	steel
Enclosure Colour	chrome



Technical changes reserved

Glass / Shade Material crystal
Glass / Shade Colour clear



Technical Information

Protection Class 2
Line Voltage 220-240V,50/60Hz

Compatible Dimmers

Berker - 2830 10
Berker - 286710
Berker - 2873
Berker - 8542 12 00
Busch - 2247 U
Busch - 2250 U
Busch - 6513 U-102
Busch - 6519 U
Busch - 6523 U
Busch - 6523 U-102
Busch - 6524 U
CLIPSAL - 32E450UDM
ELKO - 315GLE
Eltako - EUD61NPN
GIRA - 0307 00/I02
GIRA - 2262 00/I00
GIRA - 238500/I00
Hamilton - LITESTAT
JUNG - 225 NV DE
JUNG - 225 TDE
JUNG - 266 GDE
PEHA - 433 HAB
PEHA - 434
SIEMENS - 5TC8 256
SIEMENS - 5TC8 263

Technical changes reserved



EGLO Leuchten GmbH
Heiligkreuz 22 | 6136 Pill | Austria
Tel. +43 (0) 5242 / 6996 - 0
Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style

SIEMENS - 5TC8 284
SIEMENS - 5TC8211-0
Schalk - 123215



Technical changes reserved



EGLO Leuchten GmbH
Heiligkreuz 22 | 6136 Pill | Austria

Tel. +43 (0) 5242 / 6996 - 0
Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style

39405 PRINCIPE

General Information

Article	39405
Type	ceiling luminaire
Collection	other/non-attributable
EAN Code	9002759394059

Dimensions

Height	105 mm
Diameter	500 mm
Weight	5.086


Illuminant 1

Socket	LED
Illuminant	LED
Delivery	incl.
Wattage	10x 3,15W
Luminous Flux	3800 lm
Luminous Colour	3000 warm white
Energy Efficiency	A++
Dimmable	yes



Material & Colour

Enclosure Material	steel
Enclosure Colour	gold-coloured



Technical changes reserved

Glass / Shade Material crystal
Glass / Shade Colour clear



Technical Information

Protection Class 2
Line Voltage 220-240V,50/60Hz

Compatible Dimmers

Berker - 2830 10
Berker - 286710
Berker - 2873
Berker - 8542 12 00
Busch - 2247 U
Busch - 2250 U
Busch - 6513 U-102
Busch - 6519 U
Busch - 6523 U
Busch - 6523 U-102
Busch - 6524 U
CLIPSAL - 32E450UDM
ELKO - 315GLE
Eltako - EUD61NPN
GIRA - 0307 00/I02
GIRA - 2262 00/I00
GIRA - 238500/I00
Hamilton - LITESTAT
JUNG - 225 NV DE
JUNG - 225 TDE
JUNG - 266 GDE
Legrand - 400T
Legrand - 7759 03
PEHA - 433 HAB
PEHA - 434

Technical changes reserved



EGLO Leuchten GmbH
Heiligkreuz 22 | 6136 Pill | Austria
Tel. +43 (0) 5242 / 6996 - 0
Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style

SIEMENS - 5TC8 263
SIEMENS - 5TC8 284
SIEMENS - 5TC8211-0
Schalk - 123215



Technical changes reserved



EGLO Leuchten GmbH
Heiligkreuz 22 | 6136 Pill | Austria

Tel. +43 (0) 5242 / 6996 - 0
Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style

39406 PRINCIPE

General Information

Article	39406
Type	ceiling luminaire
Collection	other/non-attributable
EAN Code	9002759394066

Dimensions

Height	125 mm
Diameter	700 mm
Weight	8.72


Illuminant 1

Socket	LED
Illuminant	LED
Delivery	incl.
Wattage	14x 3,15W
Luminous Flux	5320 lm
Luminous Colour	3000 warm white
Energy Efficiency	A++
Dimmable	yes



Material & Colour

Enclosure Material	steel
Enclosure Colour	gold-coloured



Technical changes reserved

Glass / Shade Material crystal
Glass / Shade Colour clear



Technical Information

Protection Class 2
Line Voltage 220-240V,50/60Hz

Compatible Dimmers

Berker - 2830 10
Berker - 286710
Berker - 2873
Berker - 8542 12 00
Busch - 2247 U
Busch - 2250 U
Busch - 6513 U-102
Busch - 6519 U
Busch - 6523 U
Busch - 6523 U-102
Busch - 6524 U
CLIPSAL - 32E450UDM
ELKO - 315GLE
Eltako - EUD61NPN
GIRA - 0307 00/I02
GIRA - 2262 00/I00
GIRA - 238500/I00
Hamilton - LITESTAT
JUNG - 225 NV DE
JUNG - 225 TDE
JUNG - 266 GDE
PEHA - 433 HAB
PEHA - 434
SIEMENS - 5TC8 256
SIEMENS - 5TC8 263

Technical changes reserved



EGLO Leuchten GmbH
Heiligkreuz 22 | 6136 Pill | Austria
Tel. +43 (0) 5242 / 6996 - 0
Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style

SIEMENS - 5TC8 284
SIEMENS - 5TC8211-0
Schalk - 123215



Technical changes reserved



EGLO Leuchten GmbH
Heiligkreuz 22 | 6136 Pill | Austria

Tel. +43 (0) 5242 / 6996 - 0
Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style