

96102 LASANA 2

General Information

Article	96102
Type	pendant luminaire
Collection	other/non-attributable
EAN Code	9002759961022

Dimensions

Depth	1000 mm
Width	80 mm
Height	1200 mm
Weight	1.75


Illuminant 1

Socket	LED
Illuminant	LED
Delivery	incl.
Wattage	3x 13W
Luminous Flux	5400 lm
Luminous Colour	3000 warm white
Energy Efficiency	A+



Material & Colour

Enclosure Material	steel, aluminium
Enclosure Colour	chrome



Technical changes reserved

Glass / Shade Material plastic
Glass / Shade Colour white

Technical Information

Protection Class 2
Line Voltage 220-240V,50/60Hz
Operation Voltage 220-240V,50/60Hz



Technical changes reserved



EGLO Leuchten GmbH
Heiligkreuz 22 | 6136 Pöll | Austria

Tel. +43 (0) 5242 / 6996 - 0
Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style

96103 LASANA 2

General Information


Article	96103
Type	pendant luminaire
Collection	other/non-attributable
EAN Code	9002759961039

Dimensions

Depth	870 mm
Width	80 mm
Height	1200 mm
Weight	1.33


Illuminant 1

Socket	LED
Illuminant	LED
Delivery	incl.
Wattage	2x 9W
Luminous Flux	2000 lm
Luminous Colour	3000 warm white
Energy Efficiency	A+



Material & Colour

Enclosure Material	steel, aluminium
Enclosure Colour	chrome



Technical changes reserved

Glass / Shade Material plastic
Glass / Shade Colour white

Technical Information

Protection Class 2
Line Voltage 220-240V,50/60Hz
Operation Voltage 220-240V,50/60Hz



Technical changes reserved



EGLO Leuchten GmbH
Heiligkreuz 22 | 6136 Pöll | Austria

Tel. +43 (0) 5242 / 6996 - 0
Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style

96104 LASANA 2

General Information

Article	96104
Type	pendant luminaire
Collection	other/non-attributable
EAN Code	9002759961046

Dimensions


Depth	1200 mm
Width	80 mm
Height	1200 mm
Weight	1.865

Illuminant 1

Socket	LED
Illuminant	LED
Delivery	incl.
Wattage	2x 14W
Luminous Flux	3800 lm
Luminous Colour	3000 warm white
Energy Efficiency	A+

Material & Colour

Enclosure Material	steel, aluminium
Enclosure Colour	chrome



Technical changes reserved

Glass / Shade Material plastic
Glass / Shade Colour white

Technical Information

Protection Class 2
Line Voltage 220-240V,50/60Hz
Operation Voltage 220-240V,50/60Hz



Technical changes reserved



EGLO Leuchten GmbH
Heiligkreuz 22 | 6136 Pöll | Austria

Tel. +43 (0) 5242 / 6996 - 0
Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style