



## General Information

Material number	99413
Type	ceiling light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar
FSC®	FSC® Mix FSC® C152762

## Dimensions

Article Height (in mm)	95
Article Width (in mm)	400
Article Length (in mm)	1010
Net Weight (in kg)	2.73 Kilogram

## Material & Colour

Enclosure Material	steel, wood
Enclosure Colour	black, brown rustic
Glass/Shade Material	plastic
Glass/Shade Colour	white

## Functionality

Switch Type	without switch
Battery	No

## Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	No
max. Wattage (1)	2X12W
max. Wattage (2)	1X12W

## Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	3400;1700
Kelvin Complete	3000K
Light colour Complete	WARM WHITE;WARM WHITE
Energy efficiency class (EEI)	E
Dimmable	No
Info changeability□light source/driver	LED + driver can be exchanged by a specialist

## Illuminant 2

Socket Type (2)	LED
Illuminant Type (2)	LED
Illuminant incl. (2)	Inclusive
Lumen Complete	3400;1700
Kelvin Complete	3000K
Light colour Complete	WARM WHITE;WARM WHITE
Dimmable	No
Info changeability□light source/driver	LED + driver can be exchanged by a specialist





## General Information

Material number	99468
Type	ceiling light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar

## Dimensions

Article Height (in mm)	95
Article Width (in mm)	400
Article Length (in mm)	1010
Net Weight (in kg)	2.9 Kilogram

## Material & Colour

Enclosure Material	steel, wood
Enclosure Colour	black, brown
Glass/Shade Material	plastic
Glass/Shade Colour	white

## Functionality

Switch Type	without switch
Battery	No

## Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	No
max. Wattage (1)	2X12W
max. Wattage (2)	1X12W

### Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	3400;1700
Kelvin Complete	3000K
Light colour Complete	WARM WHITE;WARM WHITE
Energy efficiency class (EEI)	E
Dimmable	No
Info changeability□light source/driver	LED + driver can be exchanged by a specialist

### Illuminant 2

Socket Type (2)	LED
Illuminant Type (2)	LED
Illuminant incl. (2)	Inclusive
Lumen Complete	3400;1700
Kelvin Complete	3000K
Light colour Complete	WARM WHITE;WARM WHITE
Dimmable	No
Info changeability□light source/driver	LED + driver can be exchanged by a specialist

