

COMMISSION DELEGATED REGULATION (EU) 2019/2015
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

General Information

Trade mark	EGLO
Material number	12552
Type	Bulb
Light colour Complete	WARM WHITE
Illuminant Type (1)	E27-LED-T180
EAN/UPC	9002759125523

Dimensions



Article Diameter (in mm)	180
Article Length (in mm)	295


Technical Information

Equivalent power (W)	10
Nominal Lifetime (in h)	25000
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	E27
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Rated useful lumen	85
Color temperature (K)	2000
Nominal wattage (W)	4
Chromaticity coordinates x (1)	0,542
Chromaticity coordinates y (1)	0,4347
Color rendering index (CRI)	80
R9 Color Rendering Index	39
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,96
Flicker Metric / Pst LM	1
Stroboscopic Effect Metric / SVM	0,4

Switch information

Switching Cycles	15,000
------------------	--------





COMMISSION DELEGATED REGULATION (EU) 2019/2015
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

General Information

Trade mark	EGLO
Material number	12553
Type	Bulb
Light colour Complete	WARM WHITE
Illuminant Type (1)	E27-LED-T180
EAN/UPC	9002759125530

Dimensions



Article Diameter (in mm)	180
Article Length (in mm)	295


Technical Information

Equivalent power (W)	11
Nominal Lifetime (in h)	25000
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	E27
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Rated useful lumen	100
Color temperature (K)	1700
Nominal wattage (W)	4
Chromaticity coordinates x (1)	0,5687
Chromaticity coordinates y (1)	0,4151
Color rendering index (CRI)	80
R9 Color Rendering Index	30
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,96
Flicker Metric / Pst LM	1
Stroboscopic Effect Metric / SVM	0,4

Switch information

Switching Cycles	15,000
------------------	--------





COMMISSION DELEGATED REGULATION (EU) 2019/2015
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

General Information

Trade mark	EGLO
Material number	12554
Type	Bulb
Light colour Complete	WARM WHITE
Illuminant Type (1)	E27-LED-T180
EAN/UPC	9002759125547

Dimensions

Article Diameter (in mm)	180
Article Length (in mm)	295

12554



LM_LED_E27 - V1


Technical Information

Equivalent power (W)	10
Nominal Lifetime (in h)	25000
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	E27
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Rated useful lumen	85
Color temperature (K)	1800
Nominal wattage (W)	4
Chromaticity coordinates x (1)	0,557
Chromaticity coordinates y (1)	0,4194
Color rendering index (CRI)	80
R9 Color Rendering Index	27
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,96
Flicker Metric / Pst LM	1
Stroboscopic Effect Metric / SVM	0,4

Switch information

Switching Cycles	15,000
------------------	--------





COMMISSION DELEGATED REGULATION (EU) 2019/2015
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

General Information

Trade mark	EGLO
Material number	12588
Type	Bulb
Light colour Complete	WARM WHITE
Illuminant Type (1)	E27-LED-T180
EAN/UPC	9002759125882

Dimensions

Article Diameter (in mm)	180
Article Length (in mm)	295

Technical Information

Equivalent power (W)	10
Nominal Lifetime (in h)	25000
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	E27
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Rated useful lumen	85
Color temperature (K)	1800
Nominal wattage (W)	4
Chromaticity coordinates x (1)	0,5609
Chromaticity coordinates y (1)	0,4204
Color rendering index (CRI)	80
R9 Color Rendering Index	39
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,96
Flicker Metric / Pst LM	1
Stroboscopic Effect Metric / SVM	0,4

Switch information

Switching Cycles	15,000
------------------	--------

