



COMMISSION DELEGATED REGULATION (EU) 2019/2015  
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

## General Information



Trade mark	EGLO
Material number	110079
Type	Bulb
Light colour Complete	WARM WHITE
Illuminant Type (1)	E27-LED-G80
EAN/UPC	9008606228119

## Dimensions

Article Diameter (in mm)	80
Article Length (in mm)	120

## Technical Information

Equivalent power (W)	25
item-number LED-board (1)	110079
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	E27
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Energy consumption (kWh/1000h)	4
Rated useful lumen	245
Beam angle (°) - at measurement	360
Color temperature (K)	2000
Nominal wattage (W)	4
Standby power (P sb, W)	0
Chromaticity coordinates x (1)	0,5414
Chromaticity coordinates y (1)	0,4221
Color rendering index (CRI)	80
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,93





COMMISSION DELEGATED REGULATION (EU) 2019/2015  
with regard to energy labelling of light sources

EGLO Leuchten GmbH, Heiligkreuz 22, 6136 Pill, AT

## General Information

Trade mark	EGLO
Material number	110091
Type	Bulb
Light colour Complete	WARM WHITE
Illuminant Type (1)	E27-LED-G80
EAN/UPC	9008606228218

## Dimensions

Article Diameter (in mm)	80
Article Length (in mm)	120

# 110091

## LM\_LED\_E27 - V1

### Technical Information

Equivalent power (W)	3
item-number LED-board (1)	110091
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	E27
Mains light source	Yes
Connected light source	No
Colour-tunable light source	No
High luminance light source	No
Dimmable (bulb, board, stripe,...)	Yes
Energy consumption (kWh/1000h)	4
Rated useful lumen	30
Beam angle (°) - at measurement	360
Color temperature (K)	2000
Nominal wattage (W)	4
Standby power (P sb, W)	0
Chromaticity coordinates x (1)	0,5421
Chromaticity coordinates y (1)	0,4238
Color rendering index (CRI)	66
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,93

