




General Information

Material number	206478
Type	pendant light
Product segment	Indoor
Theme	Stars of Light (Crystal & Desi

Dimensions

Article Height (in mm/in)	800
Article Width (in mm/in)	25
Article Length (in mm/in)	2400
Net Weight (in kg)	5

Material & Colour

Enclosure Material	aluminium
Enclosure Colour	black
Glass/Shade Material	plastic
Glass/Shade Colour	white

Functionality

Switch Type	without switch
Function	change of the Kelvin on the product CCT
Battery	No


206478 CLIMENE 3



Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	Yes
Max.Watt incl.transformer/driver	40W





General Information

Material number	206475
Type	pendant light
Product segment	Indoor
Theme	Stars of Light (Crystal & Desi

Dimensions

Article Height (in mm/in)	800
Article Width (in mm/in)	25
Article Length (in mm/in)	1860
Net Weight (in kg)	3.5

Material & Colour

Enclosure Material	aluminium
Enclosure Colour	black
Glass/Shade Material	plastic
Glass/Shade Colour	white

Functionality

Switch Type	without switch
Function	change of the Kelvin on the product CCT
Battery	No


206475 CLIMENE 3



Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	Yes
Max.Watt incl.transformer/driver	36W





General Information

Material number	206472
Type	pendant light
Product segment	Indoor
Theme	Stars of Light (Crystal & Desi

Dimensions

Article Height (in mm/in)	800
Article Width (in mm/in)	25
Article Length (in mm/in)	1215
Net Weight (in kg)	2.25

Material & Colour

Enclosure Material	aluminium
Enclosure Colour	black
Glass/Shade Material	plastic
Glass/Shade Colour	white

Functionality

Switch Type	without switch
Function	change of the Kelvin on the product CCT
Battery	No

206472 CLIMENE 3



Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	Yes
Max.Watt incl.transformer/driver	30W



Technical changes reserved

2/2



Contact | Support
eglo.com/en/eglo-worldwide