



General Information

Material number	20538301
Type	ceiling-flush fan w.light
Product segment	Indoor
Theme	Fan/Ventilator

Dimensions

Article Height (in mm)	252
Article Diameter (in mm)	1320
Net Weight (in kg)	5.3 Kilogram

Material & Colour





Enclosure Material	ABS
Enclosure Colour	white matt
Glass/Shade Material	acrylic
Glass/Shade Colour	milky

Functionality

Switch Type	without switch
Battery	Yes
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Technical Information

Protection Degree	IP20
Protection Class	1
Mains Voltage	220-240V, 50Hz
Operation Voltage	220-240V, 50Hz
Dimmable	Yes
Certificate	YES
max. Wattage (1)	20W

 AIRFLOW	 LED	 ACCU	 Micro
12640 m ³ /h	0W	AAA, Alkali, LR03, 1,5V	





General Information

Material number	20538302
Type	ceiling-flush fan w.light
Product segment	Indoor
Theme	Fan/Ventilator

Dimensions

Article Height (in mm)	252
Article Diameter (in mm)	1320
Net Weight (in kg)	5.3 Kilogram

Material & Colour





Enclosure Material	ABS
Enclosure Colour	black matt
Glass/Shade Material	acrylic
Glass/Shade Colour	milky

Functionality

Switch Type	without switch
Battery	Yes
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Technical Information

Protection Degree	IP20
Protection Class	1
Mains Voltage	220-240V, 50Hz
Operation Voltage	220-240V, 50Hz
Dimmable	Yes
Certificate	YES
max. Wattage (1)	20W

 AIRFLOW	 LED	 ACCU	 Micro
12640 m ³ /h	0W	AAA, Alkali, LR03, 1,5V	





General Information

Material number	20538315
Type	ceiling-flush fan w.light
Product segment	Indoor
Theme	Fan/Ventilator

Dimensions

Article Height (in mm)	252
Article Diameter (in mm)	1320
Net Weight (in kg)	5.3 Kilogram

Material & Colour





Enclosure Material	ABS
Enclosure Colour	black matt
Glass/Shade Material	acrylic
Glass/Shade Colour	milky

Functionality

Switch Type	without switch
Battery	Yes
Battery Type	AAA; Alkali; LR03; 1,5V; Micro

Technical Information

Protection Degree	IP20
Protection Class	1
Mains Voltage	220-240V, 50Hz
Operation Voltage	220-240V, 50Hz
Dimmable	Yes
Certificate	YES
max. Wattage (1)	20W

 AIRFLOW	 LED	 ACCU	 Micro
12640 m ³ /h	0W	AAA, Alkali, LR03, 1,5V	

