



General Information

Material number	20522601
EAN/UPC	9008606233854
Type	ceiling fan & light

Dimensions

Article Diameter (in mm)	1070
Article Height (in mm)	316
Canopy Height (in mm)	60
Canopy Diameter (in mm)	155
Net Weight	6.36 Kilogram
Gross Weight	7.5 Kilogram
Single-Box Height (in mm)	250
Single-Box Length (in mm)	741
Single-Box Depth (in mm)	316

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x12mm
Motor Wattage	13
Adjustable Canopy	13°
Blade pitch in degree	Variable
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Function	timer 3-step dimming 3-step CCT 6 speeds
----------	---

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	white matt
Canopy Material	steel
Canopy Colour	white matt
Enclosure Material	steel
Enclosure Colour	white matt
Glass/Shade Material	acrylic
Glass/Shade Colour	milky

Performance




Wattage by air movement (1)	2.3
RPM (1)	70
Air Movement m3/Hr (1)	2285
Wattage by air movement (2)	3.3
RPM (2)	110
Air Movement m3/Hr (2)	3933
Wattage by air movement (3)	4.6
RPM (3)	145
Air Movement m3/Hr (3)	5400
Wattage by air movement (4)	6.3
RPM (4)	175
Air Movement m3/Hr (4)	6307
Wattage by air movement (5)	8.8
RPM (5)	205
Air Movement m3/Hr (5)	7493
Wattage by air movement (6)	11.2
RPM (6)	230
Air Movement m3/Hr (6)	8665

Illuminant

Illuminant Type (1)	LED
max. Wattage (1)	20W
Light colour Complete	TRICOLOUR

20522601
TORQUAY



 AIRFLOW	 HANG SURE CANOPY	 LED
8665 m ³ /h	13°	0W

Technical changes reserved



Contact | Support
eglo.com/uk/eglo-worldwide



General Information

Material number	20522602
EAN/UPC	9008606233861
Type	ceiling fan & light

Dimensions

Article Diameter (in mm)	1070
Article Height (in mm)	316
Canopy Height (in mm)	60
Canopy Diameter (in mm)	155
Net Weight	6.36 Kilogram
Gross Weight	7.5 Kilogram
Single-Box Height (in mm)	250
Single-Box Length (in mm)	741
Single-Box Depth (in mm)	316

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x12mm
Motor Wattage	13
Adjustable Canopy	13°
Blade pitch in degree	Variable
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Function	timer 3-step dimming 3-step CCT 6 speeds
----------	---

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	black matt
Canopy Material	steel
Canopy Colour	black matt
Enclosure Material	steel
Enclosure Colour	black matt
Glass/Shade Material	acrylic
Glass/Shade Colour	milky

Performance

Wattage by air movement (1)	2.3
RPM (1)	70
Air Movement m3/Hr (1)	2285
Wattage by air movement (2)	3.3
RPM (2)	110
Air Movement m3/Hr (2)	3933
Wattage by air movement (3)	4.6
RPM (3)	145
Air Movement m3/Hr (3)	5400
Wattage by air movement (4)	6.3
RPM (4)	175
Air Movement m3/Hr (4)	6307
Wattage by air movement (5)	8.8
RPM (5)	205
Air Movement m3/Hr (5)	7493
Wattage by air movement (6)	11.2
RPM (6)	230
Air Movement m3/Hr (6)	8665

Illuminant

Illuminant Type (1)	LED
max. Wattage (1)	20W
Light colour Complete	TRICOLOUR

20522602 TORQUAY



8665
m³/h

13°

0W

Technical changes reserved

3/3



Contact | Support
eglo.com/uk/eglo-worldwide



General Information

Material number	20522612
EAN/UPC	9008606233878
Type	ceiling fan & light

Dimensions

Article Diameter (in mm)	1070
Article Height (in mm)	316
Canopy Height (in mm)	60
Canopy Diameter (in mm)	155
Net Weight	6.36 Kilogram
Gross Weight	7.5 Kilogram
Single-Box Height (in mm)	250
Single-Box Length (in mm)	741
Single-Box Depth (in mm)	316

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x12mm
Motor Wattage	13
Adjustable Canopy	13°
Blade pitch in degree	Variable
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Function	timer 3-step dimming 3-step CCT 6 speeds
----------	---

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	red brown wood optics
Canopy Material	steel
Canopy Colour	oil rubbed bronze
Enclosure Material	steel
Enclosure Colour	oil rubbed bronze
Glass/Shade Material	acrylic
Glass/Shade Colour	milky

Performance




Wattage by air movement (1)	2.3
RPM (1)	70
Air Movement m3/Hr (1)	2285
Wattage by air movement (2)	3.3
RPM (2)	110
Air Movement m3/Hr (2)	3933
Wattage by air movement (3)	4.6
RPM (3)	145
Air Movement m3/Hr (3)	5400
Wattage by air movement (4)	6.3
RPM (4)	175
Air Movement m3/Hr (4)	6307
Wattage by air movement (5)	8.8
RPM (5)	205
Air Movement m3/Hr (5)	7493
Wattage by air movement (6)	11.2
RPM (6)	230
Air Movement m3/Hr (6)	8665

Illuminant

Illuminant Type (1)	LED
max. Wattage (1)	20W
Light colour Complete	TRICOLOUR

20522612
TORQUAY



 AIRFLOW	 HANG SURE CANOPY	 LED
8665 m³/h	13°	0W

