



General Information

Material number	20522501
EAN/UPC	9008606233823
Type	ceiling fan

Dimensions

Article Diameter (in mm)	1070
Article Height (in mm)	284
Canopy Height (in mm)	60
Canopy Diameter (in mm)	155
Net Weight	6.15 Kilogram
Gross Weight	7.3 Kilogram
Single-Box Height (in mm)	250
Single-Box Length (in mm)	741
Single-Box Depth (in mm)	316

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x12mm
Motor Wattage	13
Adjustable Canopy	13°
Blade pitch in degree	Variable
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Function	timer reversible Night Mode 6 speeds
----------	-----------------------------------------------

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	white matt
Canopy Material	steel
Canopy Colour	white matt
Enclosure Material	steel
Enclosure Colour	white matt

Performance

Wattage by air movement (1)	2.3
RPM (1)	70
Air Movement m3/Hr (1)	2285
Wattage by air movement (2)	3.3
RPM (2)	110
Air Movement m3/Hr (2)	3933
Wattage by air movement (3)	4.6
RPM (3)	145
Air Movement m3/Hr (3)	5400
Wattage by air movement (4)	6.3
RPM (4)	175
Air Movement m3/Hr (4)	6307
Wattage by air movement (5)	8.8
RPM (5)	205
Air Movement m3/Hr (5)	7493
Wattage by air movement (6)	11.2
RPM (6)	230
Air Movement m3/Hr (6)	8665



8665 m³/h 13°

20522501
TORQUAY



Technical changes reserved

3/3



Contact | Support
eglo.com/uk/eglo-worldwide



General Information

Material number	20522502
EAN/UPC	9008606233830
Type	ceiling fan

Dimensions

Article Diameter (in mm)	1070
Article Height (in mm)	284
Canopy Height (in mm)	60
Canopy Diameter (in mm)	155
Net Weight	6.15 Kilogram
Gross Weight	7.3 Kilogram
Single-Box Height (in mm)	250
Single-Box Length (in mm)	741
Single-Box Depth (in mm)	316

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x12mm
Motor Wattage	13
Adjustable Canopy	13°
Blade pitch in degree	Variable
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Function	timer reversible Night Mode 6 speeds
----------	-----------------------------------------------

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	black matt
Canopy Material	steel
Canopy Colour	black matt
Enclosure Material	steel
Enclosure Colour	black matt

Performance

Wattage by air movement (1)	2.3
RPM (1)	70
Air Movement m3/Hr (1)	2285
Wattage by air movement (2)	3.3
RPM (2)	110
Air Movement m3/Hr (2)	3933
Wattage by air movement (3)	4.6
RPM (3)	145
Air Movement m3/Hr (3)	5400
Wattage by air movement (4)	6.3
RPM (4)	175
Air Movement m3/Hr (4)	6307
Wattage by air movement (5)	8.8
RPM (5)	205
Air Movement m3/Hr (5)	7493
Wattage by air movement (6)	11.2
RPM (6)	230
Air Movement m3/Hr (6)	8665



8665
m³/h 13°

20522502
TORQUAY



Technical changes reserved

3/3



Contact | Support
eglo.com/uk/eglo-worldwide



General Information

Material number	20522512
EAN/UPC	9008606233847
Type	ceiling fan

Dimensions

Article Diameter (in mm)	1070
Article Height (in mm)	284
Canopy Height (in mm)	60
Canopy Diameter (in mm)	155
Net Weight	6.15 Kilogram
Gross Weight	7.3 Kilogram
Single-Box Height (in mm)	250
Single-Box Length (in mm)	741
Single-Box Depth (in mm)	316

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x12mm
Motor Wattage	13
Adjustable Canopy	13°
Blade pitch in degree	Variable
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Function	timer reversible Night Mode 6 speeds
----------	-----------------------------------------------

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	red brown wood optics
Canopy Material	steel
Canopy Colour	oil rubbed bronze
Enclosure Material	steel
Enclosure Colour	oil rubbed bronze

Performance

Wattage by air movement (1)	2.3
RPM (1)	70
Air Movement m3/Hr (1)	2285
Wattage by air movement (2)	3.3
RPM (2)	110
Air Movement m3/Hr (2)	3933
Wattage by air movement (3)	4.6
RPM (3)	145
Air Movement m3/Hr (3)	5400
Wattage by air movement (4)	6.3
RPM (4)	175
Air Movement m3/Hr (4)	6307
Wattage by air movement (5)	8.8
RPM (5)	205
Air Movement m3/Hr (5)	7493
Wattage by air movement (6)	11.2
RPM (6)	230
Air Movement m3/Hr (6)	8665



8665 m³/h 13°

20522512
TORQUAY



Technical changes reserved

3/3



Contact | Support
eglo.com/uk/eglo-worldwide