



General Information

Material number	20522801
EAN/UPC	9008606233915
Type	ceiling fan & light

Dimensions

Article Diameter (in mm)	1220
Article Height (in mm)	316
Canopy Height (in mm)	60
Canopy Diameter (in mm)	155
Net Weight	6.83 Kilogram
Gross Weight	7.9 Kilogram
Single-Box Height (in mm)	250
Single-Box Length (in mm)	741
Single-Box Depth (in mm)	316

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x16mm
Motor Wattage	33
Adjustable Canopy	13°
Blade pitch in degree	Variable
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Function	timer 3-step dimming 3-step CCT 6 speeds
----------	---

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	white matt
Canopy Material	steel
Canopy Colour	white matt
Enclosure Material	steel
Enclosure Colour	white matt
Glass/Shade Material	acrylic
Glass/Shade Colour	milky

Performance

Wattage by air movement (1)	2.2
RPM (1)	60
Air Movement m3/Hr (1)	2782
Wattage by air movement (2)	4.1
RPM (2)	90
Air Movement m3/Hr (2)	4619
Wattage by air movement (3)	5.7
RPM (3)	115
Air Movement m3/Hr (3)	6055
Wattage by air movement (4)	12.4
RPM (4)	160
Air Movement m3/Hr (4)	8613
Wattage by air movement (5)	20
RPM (5)	195
Air Movement m3/Hr (5)	10537
Wattage by air movement (6)	30.1
RPM (6)	225
Air Movement m3/Hr (6)	12091

Illuminant

Illuminant Type (1)	LED
max. Wattage (1)	20W
Light colour Complete	TRICOLOUR

20522801
TORQUAY



12091
m³/h

13°

0W

Technical changes reserved

3/3



Contact | Support
eglo.com/uk/eglo-worldwide



General Information

Material number	20522802
EAN/UPC	9008606233922
Type	ceiling fan & light

Dimensions

Article Diameter (in mm)	1220
Article Height (in mm)	316
Canopy Height (in mm)	60
Canopy Diameter (in mm)	155
Net Weight	6.83 Kilogram
Gross Weight	7.9 Kilogram
Single-Box Height (in mm)	250
Single-Box Length (in mm)	741
Single-Box Depth (in mm)	316

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x16mm
Motor Wattage	33
Adjustable Canopy	13°
Blade pitch in degree	Variable
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Function	timer 3-step dimming 3-step CCT 6 speeds
----------	---

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	black matt
Canopy Material	steel
Canopy Colour	black matt
Enclosure Material	steel
Enclosure Colour	black matt
Glass/Shade Material	acrylic
Glass/Shade Colour	milky

Performance

Wattage by air movement (1)	2.2
RPM (1)	60
Air Movement m3/Hr (1)	2782
Wattage by air movement (2)	4.1
RPM (2)	90
Air Movement m3/Hr (2)	4619
Wattage by air movement (3)	5.7
RPM (3)	115
Air Movement m3/Hr (3)	6055
Wattage by air movement (4)	12.4
RPM (4)	160
Air Movement m3/Hr (4)	8613
Wattage by air movement (5)	20
RPM (5)	195
Air Movement m3/Hr (5)	10537
Wattage by air movement (6)	30.1
RPM (6)	225
Air Movement m3/Hr (6)	12091

Illuminant

Illuminant Type (1)	LED
max. Wattage (1)	20W
Light colour Complete	TRICOLOUR

20522802
TORQUAY



12091
m³/h

13°

0W

Technical changes reserved



Contact | Support
eglo.com/uk/eglo-worldwide



General Information

Material number	20522812
EAN/UPC	9008606233939
Type	ceiling fan & light

Dimensions

Article Diameter (in mm)	1220
Article Height (in mm)	316
Canopy Height (in mm)	60
Canopy Diameter (in mm)	155
Net Weight	6.83 Kilogram
Gross Weight	7.9 Kilogram
Single-Box Height (in mm)	250
Single-Box Length (in mm)	741
Single-Box Depth (in mm)	316

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x16mm
Motor Wattage	33
Adjustable Canopy	13°
Blade pitch in degree	Variable
Blade Quantity	3
Mains Voltage	220-240V, 50Hz

Functions

Function	timer 3-step dimming 3-step CCT 6 speeds
----------	---

Material & Colour

Blade Material	ABS, UV Resistant
Blade Colour (1)	red brown wood optics
Canopy Material	steel
Canopy Colour	oil rubbed bronze
Enclosure Material	steel
Enclosure Colour	oil rubbed bronze
Glass/Shade Material	acrylic
Glass/Shade Colour	milky

Performance




Wattage by air movement (1)	2.2
RPM (1)	60
Air Movement m3/Hr (1)	2782
Wattage by air movement (2)	4.1
RPM (2)	90
Air Movement m3/Hr (2)	4619
Wattage by air movement (3)	5.7
RPM (3)	115
Air Movement m3/Hr (3)	6055
Wattage by air movement (4)	12.4
RPM (4)	160
Air Movement m3/Hr (4)	8613
Wattage by air movement (5)	20
RPM (5)	195
Air Movement m3/Hr (5)	10537
Wattage by air movement (6)	30.1
RPM (6)	225
Air Movement m3/Hr (6)	12091

Illuminant

Illuminant Type (1)	LED
max. Wattage (1)	20W
Light colour Complete	TRICOLOUR

20522812
TORQUAY



 AIRFLOW	 HANG SURE CANOPY	 LED
12091 m ³ /h	13°	0W

Technical changes reserved



Contact | Support
eglo.com/uk/eglo-worldwide