


Gleam Dim to Warm Fixed Deep Recessed Downlights



Product Specifications

Name	Gleam
Material	Polycarbonate Face + Aluminium Body
Colour	Black or White
Cut Out	90mm
Tilt	No
IP Rating	IP54 - Front of Fitting Only
Installation Type	Ceiling - Recessed
Lamp Base	Built in LED
Protection Class	240v = 2 (No Earth Required)
Max Wattage	9w
Lamp Expectancy	<30,000hrs
Diffuser Type	Plastic
IC Rating	IC-4 when used with HV5528-IC4CAP
CRI	CRI>80
Dimmable	Yes - Triac
IK Rating	IK08
Warranty	3 Years Replacement*





Optional Havit Compatible Accessories

Image	Part Number	Description
	HV9625	Triac Dimmer when used with Triac Dimmable Drivers
	HV5528-IC4CAP	Cap to allow for installation under insulation in ceiling



Shown with HV5528-IC4CAP



Product Ordering

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV5528D2W-BLK	1800k-3000k	685lm	240v AC Supplied with Flex & Plug	90°	Dim to Warm 9w Built in LED	9350418017819
	HV5528D2W-WHT	1800k-3000k	685lm	240v AC Supplied with Flex & Plug	90°	Dim to Warm 9w Built in LED	9350418013996


*Items ordered after 01-01-2022

Gleam Dim to Warm Fixed Deep Recessed Downlights





Product Specifications

Name	Gleam
Material	Polycarbonate Face + Aluminium Body
Colour	Black with Coloured Insert Options
Cut Out	90mm
Tilt	No
IP Rating	IP54 - Front of Fitting Only
Installation Type	Ceiling - Recessed
Lamp Base	Built in LED
Protection Class	240v = 2 (No Earth Required)
Max Wattage	9w
Lamp Expectancy	<30,000hrs
Diffuser Type	Plastic
IC Rating	IC-4 when used with HV5528-IC4CAP
CRI	CRI>80
Dimmable	Yes - Triac
IK Rating	IK08
Warranty	3 Years Replacement*



Optional Havit Compatible Accessories

Image	Part Number	Description
	HV9625	Triac Dimmer when used with Triac Dimmable Drivers
	HV5528-IC4CAP	Cap to allow for installation under insulation in ceiling



Product Ordering

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV5528D2W-BB	1800k-3000k	685lm	240v AC Supplied with Flex & Plug	90°	Dim to Warm 9w Built in LED	9350418032218
	HV5528D2W-BC	1800k-3000k	685lm	240v AC Supplied with Flex & Plug	90°	Dim to Warm 9w Built in LED	9350418032225
	HV5528D2W-BG	1800k-3000k	685lm	240v AC Supplied with Flex & Plug	90°	Dim to Warm 9w Built in LED	9350418032232


*Items ordered after 01-01-2022

Gleam Dim to Warm Fixed Deep Recessed Downlights





Product Specifications

Name	Gleam
Material	Polycarbonate Face + Aluminium Body
Colour	White with Coloured Insert Options
Cut Out	90mm
Tilt	No
IP Rating	IP54 - Front of Fitting Only
Installation Type	Ceiling - Recessed
Lamp Base	Built in LED
Protection Class	240v = 2 (No Earth Required)
Max Wattage	9w
Lamp Expectancy	<30,000hrs
Diffuser Type	Plastic
IC Rating	IC-4 when used with HV5528-IC4CAP
CRI	CRI>80
Dimmable	Yes - Triac
IK Rating	IK08
Warranty	3 Years Replacement*



Optional Havit Compatible Accessories

Image	Part Number	Description
	HV9625	Triac Dimmer when used with Triac Dimmable Drivers
	HV5528-IC4CAP	Cap to allow for installation under insulation in ceiling



Product Ordering

Image	Part Number	Colour Temp	Lumens	Input Voltage	Beam Angle	Included LED	Barcode
	HV5528D2W-WB	1800k-3000k	685lm	240v AC Supplied with Flex & Plug	90°	Dim to Warm 9w Built in LED	9350418032249
	HV5528D2W-WC	1800k-3000k	685lm	240v AC Supplied with Flex & Plug	90°	Dim to Warm 9w Built in LED	9350418032256
	HV5528D2W-WG	1800k-3000k	685lm	240v AC Supplied with Flex & Plug	90°	Dim to Warm 9w Built in LED	9350418032263
	HV5528D2W-WW	1800k-3000k	685lm	240v AC Supplied with Flex & Plug	90°	Dim to Warm 9w Built in LED	9350418032270

*Items ordered after 01-01-2022