

Last modification

2024-03-06

DOWNEY FL-BK 9329501068649



Overview

Family nameDowneyCategoriesFloor LampsSwitchFoot SwitchUsageIndoor LightingERAC Product RegistrationSAA-210304-EA

Color / Material

Fixture ColorBlackFixture FinishMatteFixture MaterialIron, FabricShade ColorBlack, GoldShade MaterialFabric, Plastic

Cable ColorBlackCable MaterialPVC

<u>Size</u>

 Fixture Length (cm)
 121.0

 Fixture Width (cm)
 50.0

 Fixture Height (cm)
 180.0

 Base Width (cm)
 38.0

 Shade Top (cm)
 40.0

 Shade Bottom (cm)
 50.0

 Shade Height (cm)
 22.0

Cable Length (cm)200 (50+Foot Switch+150)

Specification

1

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.




Electrical Protection CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED

IP rating IP20
Lead and Plug Yes
Approvals RCM
Assembly Required Yes
Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501068649

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



Last modification

2024-03-06

DOWNEY FL-WH 9329501068670



Overview

Family nameDowneyCategoriesFloor LampsSwitchFoot SwitchUsageIndoor LightingERAC Product RegistrationSAA-210304-EA

Color / Material

Fixture ColorWhite, CreamFixture FinishMatteFixture MaterialIron, FabricShade ColorCream, GoldShade MaterialFabric, Plastic

Cable ColorBlackCable MaterialPVC

<u>Size</u>

 Fixture Length (cm)
 121.0

 Fixture Width (cm)
 50.0

 Fixture Height (cm)
 180.0

 Base Width (cm)
 38.0

 Shade Top (cm)
 40.0

 Shade Bottom (cm)
 50.0

 Shade Height (cm)
 22.0

Cable Length (cm) 200 (50+Foot Switch+150)

Specification

1

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.




Electrical Protection CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED

IP rating IP20
Lead and Plug Yes
Approvals RCM
Assembly Required Yes
Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501068670

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.