

Last modification 2020-12-22

**KMAN EX2-BK**  
**9329501056400**



The understated cylinder wall lamp offers a subtle and refined design. Brighten surrounding areas for convenience or highlight feature walls. The aluminium tube is wall mounted with the integrated box section mounting base. Available as one light or two light up / down and powder coat finished in Black, Silver or White. Led GU10 globes are purchased separately and available as either warm, natural or cool white.

## Overview

<b>Family name</b>	kman
<b>Item Type</b>	Exterior (EX)
<b>Mounting</b>	Surface

## Color / Material

<b>Shade Colour</b>	Black
---------------------	-------

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

**Shade Material** Metal

## Size

**Fixture Length (cm)** 6.8  
**Fixture Height (cm)** 15.0  
**Fixture Projection (cm)** 9.2

## Specification

**Voltage Input** 240V  
**Wattage (max)** 12  
**Globe Type** GU10  
**Globe / Light Source qty** 2  
**Globe / Light Source included** No  
**Dimmable** Globe dependant  
**IP rating** IP54  
**Warranty** 3


## Barcode

**GTIN** 9329501056400

## Pricing

**PRICE - RRP incGST** 54.0

## Globe Type Recommended

Label	Color Temperature	Thumbnail	GTIN
GL GU10LEDFW6-83	Warm White		9329501056233



Last modification

2020-12-22

**KMAN EX2-SL**  
**9329501056417**



The understated cylinder wall lamp offers a subtle and refined design. Brighten surrounding areas for convenience or highlight feature walls. The aluminium tube is wall mounted with the integrated box section mounting base. Available as one light or two light up / down and powder coat finished in Black, Silver or White. Led GU10 globes are purchased separately and available as either warm, natural or cool white.

## Overview

<b>Family name</b>	kman
<b>Item Type</b>	Exterior (EX)
<b>Mounting</b>	Surface

## Color / Material

<b>Shade Colour</b>	Silver
---------------------	--------

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

**Shade Material** Metal

## Size

**Fixture Length (cm)** 6.8

**Fixture Height (cm)** 15.0

**Fixture Projection (cm)** 9.2

## Specification

**Voltage Input** 240V

**Wattage (max)** 12

**Globe Type** GU10

**Globe / Light Source qty** 2

**Globe / Light Source included** No

**Dimmable** Globe dependant

**IP rating** IP54

**Warranty** 3

## Barcode

**GTIN** 9329501056417

## Pricing

**PRICE - RRP incGST** 54.0



Last modification 2020-12-22

**KMAN EX2-WH**  
**9329501056424**



The understated cylinder wall lamp offers a subtle and refined design. Brighten surrounding areas for convenience or highlight feature walls. The aluminium tube is wall mounted with the integrated box section mounting base. Available as one light or two light up / down and powder coat finished in Black, Silver or White. Led GU10 globes are purchased separately and available as either warm, natural or cool white.

## Overview

<b>Family name</b>	kman
<b>Item Type</b>	Exterior (EX)
<b>Mounting</b>	Surface

## Color / Material

<b>Shade Colour</b>	White
---------------------	-------

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

**Shade Material** Metal

## Size

**Fixture Length (cm)** 6.8

**Fixture Height (cm)** 15.0

**Fixture Projection (cm)** 9.2

## Specification

**Voltage Input** 240V

**Wattage (max)** 12

**Globe Type** GU10

**Globe / Light Source qty** 2

**Globe / Light Source included** No

**Dimmable** Globe dependant

**IP rating** IP54

**Warranty** 3

## Barcode

**GTIN** 9329501056424

## Pricing

**PRICE - RRP incGST** 54.0

