



LUCID PE065-BK

14831P

SKU

LUCID PE065-BK

GTIN

9329501072745

DESCRIPTION

The Lucid pendant range features integrated LED lighting with adjustable colour temperature from 2700K to 5500K, and touch dimmability. Available in two designs, a circular pendant and a linear pendant, this range offers versatile, modern lighting solutions to suit various interior styles.

FAMILY NAME

Lucid

CATEGORIES

Pendants

USAGE

Indoor Lighting

FIXTURE COLOR

Black

FIXTURE FINISH

Matte

FIXTURE MATERIAL

Aluminium,Iron,PVC

FIXTURE HEIGHT (CM)

5.50

FIXTURE DIAMETER (CM)

65.00

FIXTURE WEIGHT (KG)

3.00

CANOPY DIAMETER (CM)

17.00

CANOPY PROJECTION (CM)

4.50

SUSPENSION LENGTH (CM)

200.00

HEIGHT ADJUSTABLE?

Yes

TOTAL WATTAGE (MAX)

34

GLOBE TYPE

LED integrated SMD

GLOBE / LIGHT SOURCE INCLUDED

Yes

LUMENS

2210

COLOR KELVIN

2700k to 5500k

DIMMABLE

Touch

ELECTRICAL PROTECTION

CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP RATING

IP20

APPROVALS

RCM

CARE INSTRUCTIONS

Do not use strong liquid cleaners,Wipe clean with a dry cloth

REPLACEMENT WARRANTY

*3 Years

MODEL NO.

W46-40V24F

BOX WEIGHT (KG)

5.00

BOX LENGTH (CM)

70.00

BOX WIDTH (CM)

70.00

BOX HEIGHT (CM)

10.00

MASTER CARTON LENGTH (CM)

0.00

MASTER CARTON WIDTH (CM)

0.00

MASTER CARTON HEIGHT (CM)

0.00

MASTER CARTON WEIGHT (KG)

0.00



LUCID PE065-WD

14831P

SKU

LUCID PE065-WD

GTIN

9329501072752

DESCRIPTION

The Lucid pendant range features integrated LED lighting with adjustable colour temperature from 2700K to 5500K, and touch dimmability. Available in two designs, a circular pendant and a linear pendant, this range offers versatile, modern lighting solutions to suit various interior styles.

FAMILY NAME

Lucid

CATEGORIES

Pendants

USAGE

Indoor Lighting

FIXTURE COLOR

Wood

FIXTURE FINISH

Wood Tones

FIXTURE MATERIAL

Aluminium,Iron,PVC

FIXTURE HEIGHT (CM)

5.50

FIXTURE DIAMETER (CM)

65.00

FIXTURE WEIGHT (KG)

3.00

CANOPY DIAMETER (CM)

17.00

CANOPY PROJECTION (CM)

4.50

SUSPENSION LENGTH (CM)

200.00

HEIGHT ADJUSTABLE?

Yes

TOTAL WATTAGE (MAX)

34

GLOBE TYPE

LED integrated SMD

GLOBE / LIGHT SOURCE INCLUDED

Yes

LUMENS

2210

COLOR KELVIN

2700k to 5500k

DIMMABLE

Touch

ELECTRICAL PROTECTION

CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP RATING

IP20

APPROVALS

RCM

CARE INSTRUCTIONS

Do not use strong liquid cleaners,Wipe clean with a dry cloth

REPLACEMENT WARRANTY

*3 Years

MODEL NO.

W46-40V24F

BOX WEIGHT (KG)

5.00

telbix.

BOX LENGTH (CM)

70.00

BOX WIDTH (CM)

70.00

BOX HEIGHT (CM)

10.00

MASTER CARTON LENGTH (CM)

0.00

MASTER CARTON WIDTH (CM)

0.00

MASTER CARTON HEIGHT (CM)

0.00

MASTER CARTON WEIGHT (KG)

0.00