Data Sheet

Last modification

2023-05-10

Telbıx.

NARVIK TL-AGCL 9329501061138



The Narvik Table Lamp has clear spheres gracing the gold frame almost as if they are suspended in air. The graceful lamp is finished with a domed metal shade adding extra focus to the base which is finished in white marble. Modern and glamorous describe this polished and refined lamp's unique aesthetic. The Narvik lamp is home in a variety of spaces from a chic living room to a modern bedroom.

<u>Overview</u>

| Family name | Narvik |
|---------------------------|-----------------|
| Categories | Table Lamps |
| This item includes | Glass, Shade |
| Switch | Inline Switch |
| Usage | Indoor Lighting |
| ERAC Product Registration | SAA-210304-EA |

Color / Material

| Fixture Color | Antique Gold, White Marble, Clear |
|------------------|-----------------------------------|
| Fixture Material | Marble, Metal, Glass |
| Base Color | Clear, White, Antique Gold |
| Base Material | Marble, Metal, Glass |
| Cable Color | Black |
| Cable Material | PVC |

<u>Size</u>

| Fixture Diameter (cm) | 35.0 |
|-----------------------|----------------------------|
| Fixture Height (cm) | 53.0 |
| Base Length (cm) | 15.0 |
| Base Width (cm) | 15.0 |
| Base Height (cm) | 36.0 |
| Shade Diameter (cm) | 35.0 |
| Shade Height (cm) | 17.0 |
| Height Adjustable? | No |
| Cable Length (cm) | 180 (30+Inline Switch+150) |

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet

Telbıx.

Specification


| Voltage Input | 240V |
|-------------------------------|--|
| Wattage (max) | 25 |
| Globe Type | E27 |
| Globe / Light Source qty | 2 |
| Globe / Light Source included | No |
| Dimmable | Globe Dependant |
| Electrical Protection | CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED |
| IP rating | IP20 |
| Lead and Plug | Yes |
| Approvals | RCM |
| Assembly Required | Yes |
| Box Contents | Instruction |
| Care Instructions | Do not use strong liquid cleaners, Wipe clean with a dry cloth |
| Replacement Warranty | *3 Years |

Barcode

GTIN

9329501061138

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Telbıx.







All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Telbıx.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.