

Last modification 2022-04-14

## NAVARO PE120-BK 9329501059845



### Overview

<b>Family name</b>	Navaro
<b>Categories</b>	Pendants
<b>Mounting</b>	Surface
<b>This item includes</b>	Suspension
<b>Suspension Type</b>	Cable
<b>Usage</b>	Indoor Lighting,Trade Selection

### Color / Material

<b>Fixture Color</b>	Black,Opal
<b>Fixture Material</b>	Aluminium,Polycarbonate
<b>Canopy Color</b>	Black
<b>Diffuser Material</b>	Polycarbonate
<b>Diffuser Color</b>	Opal

### Size

<b>Fixture Length (cm)</b>	120.0
<b>Fixture Width (cm)</b>	7.5
<b>Fixture Height (cm)</b>	5.0
<b>Canopy Diameter (cm)</b>	5.0
<b>Canopy Length (cm)</b>	55.0
<b>Canopy Width (cm)</b>	7.5
<b>Diffuser Length (cm)</b>	120.0
<b>Diffuser Width (cm)</b>	5.0
<b>Diffuser Height (cm)</b>	7.5
<b>Suspension Length (cm)</b>	200.0

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	60
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes


All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Lumens</b>	100
<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 6500k)
<b>Color Rendering</b>	>80
<b>Beam Angle (degree)</b>	360
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	No
<b>Approvals</b>	AS/NZ 3000; AS/NZS 60598.1.2003
<b>Assembly Required</b>	Yes
<b>Box Contents</b>	Basic mounting screws,Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Warranty</b>	3 Years

## Barcode

**GTIN** 9329501059845

## Image -dimensions



**Suspension Length: 200cm**


## **Disclaimer -Product**

This is a Smart control lighting fixture:  
All functions/settings such as dimming, scheduling, mood lighting settings are via the Smart life app only. It can be downloaded through the App Store (iPhone User) and Play Store (Andriod User) via QR code.

Via wall switch function:

- The wall switch turns fixture On/Off ONLY

-The fixture holds memory from the last smart setting from App/Smart device.





Last modification 2022-04-14

## NAVARO PE120-GDB 9329501059852



### Overview

<b>Family name</b>	Navaro
<b>Categories</b>	Pendants
<b>Mounting</b>	Surface
<b>This item includes</b>	Suspension
<b>Suspension Type</b>	Cable
<b>Usage</b>	Indoor Lighting,Trade Selection

### Color / Material

<b>Fixture Color</b>	Black,Gold,Opal
<b>Fixture Material</b>	Aluminium,Polycarbonate
<b>Canopy Color</b>	Black
<b>Diffuser Material</b>	Polycarbonate
<b>Diffuser Color</b>	Opal

### Size

<b>Fixture Length (cm)</b>	120.0
<b>Fixture Width (cm)</b>	7.5
<b>Fixture Height (cm)</b>	5.0
<b>Canopy Diameter (cm)</b>	5.0
<b>Canopy Length (cm)</b>	55.0
<b>Canopy Width (cm)</b>	7.5
<b>Diffuser Length (cm)</b>	120.0
<b>Diffuser Width (cm)</b>	5.0
<b>Diffuser Height (cm)</b>	7.5
<b>Suspension Length (cm)</b>	200.0

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	60
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes


All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Lumens</b>	100
<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 6500k)
<b>Color Rendering</b>	>80
<b>Beam Angle (degree)</b>	360
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	No
<b>Approvals</b>	AS/NZ 3000; AS/NZS 60598.1.2003
<b>Assembly Required</b>	Yes
<b>Box Contents</b>	Basic mounting screws,Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Warranty</b>	3 Years

## Barcode

**GTIN** 9329501059852

## Image -dimensions



**Suspension Length: 200cm**



## **Disclaimer -Product**

This is a Smart control lighting fixture:  
All functions/settings such as dimming, scheduling, mood lighting settings are via the Smart life app only. It can be downloaded through the App Store (iPhone User) and Play Store (Andriod User) via QR code.

Via wall switch function:

- The wall switch turns fixture On/Off ONLY

-The fixture holds memory from the last smart setting from App/Smart device.







Last modification 2022-04-14

## NAVARO PE120-WH 9329501059869



### Overview

<b>Family name</b>	Navaro
<b>Categories</b>	Pendants
<b>Mounting</b>	Surface
<b>This item includes</b>	Suspension
<b>Suspension Type</b>	Cable
<b>Usage</b>	Indoor Lighting,Trade Selection

### Color / Material

<b>Fixture Color</b>	White,Opal
<b>Fixture Material</b>	Aluminium,Polycarbonate
<b>Canopy Color</b>	White
<b>Diffuser Material</b>	Polycarbonate
<b>Diffuser Color</b>	Opal

### Size

<b>Fixture Length (cm)</b>	120.0
<b>Fixture Width (cm)</b>	7.5
<b>Fixture Height (cm)</b>	5.0
<b>Canopy Diameter (cm)</b>	5.0
<b>Canopy Length (cm)</b>	55.0
<b>Canopy Width (cm)</b>	7.5
<b>Diffuser Length (cm)</b>	120.0
<b>Diffuser Width (cm)</b>	5.0
<b>Diffuser Height (cm)</b>	7.5
<b>Suspension Length (cm)</b>	200.0

### Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	60
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes


All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Lumens</b>	100
<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 6500k)
<b>Color Rendering</b>	>80
<b>Beam Angle (degree)</b>	360
<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	No
<b>Approvals</b>	AS/NZ 3000; AS/NZS 60598.1.2003
<b>Assembly Required</b>	Yes
<b>Box Contents</b>	Basic mounting screws,Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners,Wipe clean with a dry cloth
<b>Warranty</b>	3 Years

## Barcode

**GTIN** 9329501059869

## Image -dimensions



**Suspension Length: 200cm**

## **Disclaimer -Product**

This is a Smart control lighting fixture:  
All functions/settings such as dimming, scheduling, mood lighting settings are via the Smart life app only. It can be downloaded through the App Store (iPhone User) and Play Store (Andriod User) via QR code.

Via wall switch function:

- The wall switch turns fixture On/Off ONLY

-The fixture holds memory from the last smart setting from App/Smart device.



