

Last modification 2022-11-29

NETRA DL15-BK
9329501063729



The NETRA LED close to ceiling downlight is the perfect luminaire that can be integrated into many interior styles. At a fixed downward direction it provides a wide light source for a full even effect. Swivel the LED panel and a directional light source now is at your control setting the mood in your living space. Three color temperatures are integrated within the canopy and the added benefit of triac dimming is on hand to set your lighting environment.

Overview

Family name	Netra
Categories	Downlights
Mounting	Surface
Usage	Indoor Lighting
ERAC Product Registration	SAA-212163-EA

Color / Material

Fixture Color	Black
Base Material	Aluminium
Diffuser Material	Plastic

Size

Fixture Diameter (cm)	12.0
Canopy Diameter (cm)	12.0
Canopy Projection (cm)	5.5

Specification

Voltage Input	240V
Wattage (max)	15
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	1200
Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5000k)
Dimmable	Yes


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Lead and Plug	No
Approvals	RCM
Assembly Required	No
Box Contents	Instruction, Basic mounting screws
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501063729

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.





Last modification 2022-11-30

NETRA DL15-BKGD 9329501063712



The NETRA LED close to ceiling downlight is the perfect luminaire that can be integrated into many interior styles. At a fixed downward direction it provides a wide light source for a full even effect. Swivel the LED panel and a directional light source now is at your control setting the mood in your living space. Three color temperatures are integrated within the canopy and the added benefit of triac dimming is on hand to set your lighting environment.

Overview

Family name	Netra
Categories	Downlights
Mounting	Surface
Usage	Indoor Lighting
ERAC Product Registration	SAA-212163-EA

Color / Material

Fixture Color	Black,Gold
Base Material	Aluminium
Diffuser Material	Plastic

Size

Fixture Diameter (cm)	12.0
Canopy Diameter (cm)	12.0
Canopy Projection (cm)	5.5

Specification

Voltage Input	240V
Wattage (max)	15
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	1200
Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5000k)
Dimmable	Yes


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Lead and Plug	No
Approvals	RCM
Assembly Required	No
Box Contents	Instruction, Basic mounting screws
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501063712

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.





Last modification 2022-11-30

NETRA DL15-WH 9329501063736



The NETRA LED close to ceiling downlight is the perfect luminaire that can be integrated into many interior styles. At a fixed downward direction it provides a wide light source for a full even effect. Swivel the LED panel and a directional light source now is at your control setting the mood in your living space. Three color temperatures are integrated within the canopy and the added benefit of triac dimming is on hand to set your lighting environment.

Overview

Family name	Netra
Categories	Downlights
Mounting	Surface
Usage	Indoor Lighting
ERAC Product Registration	SAA-212163-EA

Color / Material

Fixture Color	White
Base Material	Aluminium
Diffuser Material	Plastic

Size

Fixture Diameter (cm)	12.0
Canopy Diameter (cm)	12.0
Canopy Projection (cm)	5.5

Specification

Voltage Input	240V
Wattage (max)	15
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	1200
Color Temperature	Warm White; Natural White; Cool White
Color Kelvin	3 CCT (3000k - 4000k - 5000k)
Dimmable	Yes


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

IP rating	IP20
Lead and Plug	No
Approvals	RCM
Assembly Required	No
Box Contents	Instruction, Basic mounting screws
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

Barcode

GTIN 9329501063736

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



