Data Sheet



Last modification

2022-06-07

NORI PE14-BKOM 9329501062784



The NORI family is inspired by the traditional lanterns and now on offer with a modernist interpretation. Three unique mouth-blown glass shapes are patterned with a soft ribbed surface that provides a subtle atmospheric light. The glass is offered in opal matt, the metalware is a rich satin black, while the pendants are suspended with textile cable. Available as single and multi-light pendants and as a floor and table lamp.

Overview

Family name Nori
Categories Pendants
Mounting Surface
This item includes Glass
Suspension Type Cable

Usage Indoor Lighting

Color / Material

Fixture Color Black Matt,Opal Matt

Fixture Material Glass,Metal
Canopy Color Black Matt
Shade Material Glass
Glass Color Opal Matt
Cable Color Black
Cable Material Textile

Size

1

Fixture Diameter (cm) 14.0 Fixture Height (cm) 27.0 Canopy Diameter (cm) 12.0 Canopy Projection (cm) 2.5 **Glass Diameter** 14.00 Glass Height (cm) 20.0 Glass Opening (cm) 9.0 200.0 Suspension Length (cm) **Height Adjustable?** Yes

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet



Specification

Voltage Input240VWattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20 Approvals RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Warranty 3 Years

Barcode

GTIN 9329501062784

Image -dimensions



Data Sheet

Telbix.





All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.