

Last modification 2024-04-10

## NOTAL TL-BLOP 9329501072158



The Notal Touch table lamp offers both elegance and functionality with its sleek design and convenient touch-sensitive controls. Featuring a stylish glass shade, this lamp is available in a range of colours including white, green, blue, and black, allowing you to customise your lighting to suit your decor. It comes equipped with an E14 globe, providing a warm and inviting glow perfect for any setting. Whether used as a bedside lamp or to accentuate a living space, the Notal Touch lamp effortlessly combines contemporary aesthetics with practicality.

### Overview

<b>Family name</b>	Notal
<b>Categories</b>	Table Lamps
<b>Switch</b>	Touch
<b>Usage</b>	Indoor Lighting

### Color / Material

<b>Fixture Color</b>	Blue
<b>Fixture Finish</b>	Satin
<b>Fixture Material</b>	Metal, Glass
<b>Cable Material</b>	PVC

### Size

<b>Fixture Diameter (cm)</b>	20.0
<b>Fixture Height (cm)</b>	31.5
<b>Base Diameter (cm)</b>	10.0
<b>Shade Diameter (cm)</b>	20.0
<b>Height Adjustable?</b>	No
<b>Cable Length (cm)</b>	180

### Specification

<b>Voltage Input</b>	240V
<b>Total Wattage (max)</b>	5
<b>Globe Type</b>	E14
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Color Kelvin</b>	3000k
<b>Dimmable</b>	No
<b>Electrical Protection</b>	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	Yes
<b>Approvals</b>	RCM
<b>Care Instructions</b>	Do not use strong liquid cleaners, Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

## Barcode

**GTIN** 9329501072158

## Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

