2023-06-28



Last modification

ORAS 18.665-BK3C 9329501052778





The ORAS LED Wall Light - Black or Chrome has the capability of changing it's LED colour, between 3000k, 4000k and 5000k via an internal switch. This vanity light is ideal for diverse locations and environments with its IP44 rating

Overview

Family name Oras
Categories Wall Lights
Mounting Surface

Usage Indoor Lighting, Trade Selection

Color / Material

Fixture Color Black, Opal

Fixture Material Stainless Steel, Polycarbonate

Diffuser Color Opal

Diffuser Material Polycarbonate

Size

Fixture Length (cm) 66.5

Fixture Height (cm) 4.0

Fixture Projection (cm) 6.0

Canopy Length (cm) 66.4

Canopy Projection (cm) 2.5

Canopy Width (cm) 3.0

Specification

Voltage Input 240V Total Wattage (max) 18

Globe Type LED integrated SMD

Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 1200

Color Temperature Warm White; Natural White; Cool White

Color Rendering >84



Dimmable No Power Factor >0.90

Control Gear Included Yes-integrated

Current Output 280

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP44
Approvals RCM
Assembly Required Yes

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)

Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501052778

Image -dimensions

ORAS 18.665

	L:66.5 x P:6	
Г		

Note: Dimensions are only a guide and may vary due to manufacturing variations.

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.





All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



Last modification

2023-06-28

ORAS 18.665-CH3C 9329501052785



The ORAS LED Wall Light - Black or Chrome has the capability of changing it's LED colour, between 3000k, 4000k and 5000k via an internal switch. This vanity light is ideal for diverse locations and environments with its IP44 rating

Overview

Family name Oras
Categories Wall Lights
Mounting Surface

Usage Indoor Lighting, Trade Selection

Color / Material

Fixture Color Chrome, Opal

Fixture Material Stainless Steel, Polycarbonate

Diffuser Color Opal

Diffuser Material Polycarbonate

Size

Fixture Length (cm) 66.5

Fixture Height (cm) 4.0

Fixture Projection (cm) 6.0

Canopy Length (cm) 66.4

Canopy Projection (cm) 2.5

Canopy Width (cm) 3.0

Specification

Voltage Input 240V Total Wattage (max) 18

Globe Type LED integrated SMD

Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 1200

Color Temperature Warm White; Natural White; Cool White

Color Rendering >84

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

1



Dimmable No Power Factor >0.90

Control Gear Included Yes-integrated

Current Output 280

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP44
Approvals RCM
Assembly Required Yes

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)

Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501052785

Image -dimensions

ORAS 18.665

	L:66.5 x P:6	
0		

Note: Dimensions are only a guide and may vary due to manufacturing variations.

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



