Last modification

2024-03-01

# Telbıx.

#### OSTROM PE50-CG 9329501071342



The Ostrom pendant range boasts a captivating coffee gold hue, enhancing any space with its elegant allure. Featuring integrated LED technology, it combines style with energy efficiency. Available in various sizes, these pendants offer versatility to suit diverse design preferences and room dimensions, making them an ideal choice for illuminating and accentuating any interior.

#### <u>Overview</u>

Family name	Ostrom
Categories	Pendants
Mounting	Surface
Suspension Type	Cable
Usage	Indoor Lighting
ERAC Product Registration	SAA-231005-EA

#### Color / Material

Fixture Color	Coffee Gold
Fixture Finish	Satin
Fixture Material	Aluminium, PVC

#### <u>Size</u>

50.0
50.0
50.0
3.0
18.0
4.0
200.0
Yes

#### **Specification**

Total Wattage (max)	30
Globe Type	LED integrated SMD
Globe / Light Source included	Yes
Lumens	1220

## Telbıx.


Color Temperature	Warm White
Color Kelvin	3000k
Dimmable	Yes - TRIAC
Electrical Protection	CLASS III - LOW VOLTAGE, <54v
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

<u>Barcode</u>

GTIN

9329501071342

#### Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Last modification

2024-03-01

# Telbıx.

#### OSTROM PE65-CG 9329501071359



The Ostrom pendant range boasts a captivating coffee gold hue, enhancing any space with its elegant allure. Featuring integrated LED technology, it combines style with energy efficiency. Available in various sizes, these pendants offer versatility to suit diverse design preferences and room dimensions, making them an ideal choice for illuminating and accentuating any interior.

#### <u>Overview</u>

Family name	Ostrom
Categories	Pendants
Mounting	Surface
Suspension Type	Cable
Usage	Indoor Lighting
ERAC Product Registration	SAA-231005-EA

#### Color / Material

Fixture Color	Coffee Gold
Fixture Finish	Satin
Fixture Material	Aluminium, PVC

#### <u>Size</u>

Fixture Diameter (cm)	65.0
Fixture Length (cm)	65.0
Fixture Width (cm)	65.0
Fixture Height (cm)	3.0
Canopy Diameter (cm)	18.0
Canopy Height	4.0
Suspension Length (cm)	200.0
Height Adjustable?	Yes

#### **Specification**

Total Wattage (max)	38
Globe Type	LED integrated SMD
Globe / Light Source included	Yes
Lumens	1490

## Telbıx.


Color Temperature	Warm White
Color Kelvin	3000k
Dimmable	Yes - TRIAC
Electrical Protection	CLASS III - LOW VOLTAGE, <54v
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

<u>Barcode</u>

GTIN

9329501071359

#### Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Last modification

2024-03-01

## **Telbıx.**

#### OSTROM PE80-CG 9329501071366



The Ostrom pendant range boasts a captivating coffee gold hue, enhancing any space with its elegant allure. Featuring integrated LED technology, it combines style with energy efficiency. Available in various sizes, these pendants offer versatility to suit diverse design preferences and room dimensions, making them an ideal choice for illuminating and accentuating any interior.

#### <u>Overview</u>

Family name	Ostrom
Categories	Pendants
Mounting	Surface
Suspension Type	Cable
Usage	Indoor Lighting
ERAC Product Registration	SAA-231005-EA

#### Color / Material

Fixture Color	Coffee Gold
Fixture Finish	Satin
Fixture Material	Aluminium, PVC

#### <u>Size</u>

Fixture Diameter (cm)	82.0
Fixture Length (cm)	82.0
Fixture Width (cm)	82.0
Fixture Height (cm)	3.0
Canopy Diameter (cm)	18.0
Canopy Height	4.0
Suspension Length (cm)	200.0
Height Adjustable?	Yes

#### **Specification**

Total Wattage (max)	42
Globe Type	LED integrated SMD
Globe / Light Source included	Yes
Lumens	1890

## Telbıx.


Color Temperature	Warm White
Color Kelvin	3000k
Dimmable	Yes - TRIAC
Electrical Protection	CLASS III - LOW VOLTAGE, <54v
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

<u>Barcode</u>

GTIN

9329501071366

#### Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.