
Telbix.



SUSPENSION LENGTH (CM)
150.00
HEIGHT ADJUSTABLE?
Yes
TOTAL WATTAGE (MAX)
125
WATTAGE
25
GLOBE TYPE
E27
GLOBE / LIGHT SOURCE QTY
5
GLOBE / LIGHT SOURCE INCLUDED
No
DIMMABLE
Globe Dependant
ELECTRICAL PROTECTION
CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP RATING
IP20
APPROVALS
RCM
CARE INSTRUCTIONS
Do not use strong liquid cleaners,Wipe clean with a dry clot
REPLACEMENT WARRANTY
*3 Years
MODEL NO.
14310-05E14
BOX WEIGHT (KG)

Telbıx.

BOX LENGTH (CM)

54.90

BOX WIDTH (CM)

53.00

BOX HEIGHT (CM)

27.90

MASTER CARTON LENGTH (CM)

0.00

MASTER CARTON WIDTH (CM)

0.00

MASTER CARTON HEIGHT (CM)

0.00

MASTER CARTON WEIGHT (KG)

Telbıx.



PELION PE5-AG

14997P

SKU

PELION PE5-AG

GTIN

9329501070307

DESCRIPTION

The Pelion pendant range offers a sophisticated lighting solution available in three versatile styles: one light, four light, and five light pendant. Each piece features a robust construction of iron and glass, showcasing an elegant ribbed glass design. Choose between two timeless finishes, antique gold or chrome, to complement any decor.

FAMILY NAME

Pelion

CATEGORIES

Pendants

USAGE

Indoor Lighting

FIXTURE COLOR

Antique Gold,Clear

FIXTURE FINISH

Polished

FIXTURE MATERIAL

Iron,Glass

FIXTURE HEIGHT (CM)

20.00

FIXTURE DIAMETER (CM)

56.00

FIXTURE WEIGHT (KG)

5.60

CANOPY DIAMETER (CM)

12.00

CANOPY PROJECTION (CM)

2.50

SUSPENSION LENGTH (CM)

150.00	
HEIGHT A	DJUSTABLE?

Yes

TOTAL WATTAGE (MAX)

125

WATTAGE

25

GLOBE TYPE

E27

GLOBE / LIGHT SOURCE QTY

5

GLOBE / LIGHT SOURCE INCLUDED

No

DIMMABLE

Globe Dependant

ELECTRICAL PROTECTION

CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP RATING

IP20

APPROVALS

RCM

CARE INSTRUCTIONS

Do not use strong liquid cleaners,Wipe clean with a dry cloth

REPLACEMENT WARRANTY

*3 Years

MODEL NO.

14310-05E14

BOX WEIGHT (KG)

Telbıx.

BOX LENGTH (CM)

54.90

BOX WIDTH (CM)

53.00

BOX HEIGHT (CM)

27.90

MASTER CARTON LENGTH (CM)

0.00

MASTER CARTON WIDTH (CM)

0.00

MASTER CARTON HEIGHT (CM)

0.00

MASTER CARTON WEIGHT (KG)