Data Sheet



Last modification

2023-05-09

TRESOR PE4-BKOM 9329501062876



The TRESOR family is a modern teardrop pendant suitable for today's modernist decor. The simple mouth-blown glass provides a subtle atmospheric light. The glass is offered in opal matt, the metalware is a rich satin black, while the pendants are suspended with textile cable.

Overview

Family name Tresor Categories **Pendants** Mounting Surface This item includes Glass **Suspension Type** Cable

Usage Indoor Lighting

Color / Material

Fixture Color Black Matt, Opal Matt

Fixture Material Glass, Metal **Canopy Color** Black Matt **Shade Material** Glass Glass Color **Opal Matt Cable Color** Black **Cable Material** Textile

Size

Fixture Length (cm) 94.5 Fixture Width (cm) 16.0 Fixture Height (cm) 27.5 Canopy Length (cm) 86.0 Canopy Projection (cm) 2.5 Canopy Width (cm) 8.0 **Glass Diameter** 16.00 Glass Height (cm) 20.5 Glass Opening (cm) 8.5 Suspension Length (cm) 200.0 Height Adjustable? Yes

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation

Data Sheet



Specification

Voltage Input240VWattage (max)100Wattage25Globe TypeE27Globe / Light Source qty4Globe / Light Source includedNo

Dimmable Globe Dependant

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20 Approvals RCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501062876

Image -dimensions



Telbix.









All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.