

Last modification

2021-07-29

**BREA 3-BK83**  
**9329501057988**



## Overview

<b>Family name</b>	Brea
<b>Item Type</b>	wall Bracket (WB)
<b>Mounting</b>	Recess
<b>By Room</b>	Stairs

## Color / Material

<b>Fixture Color 1</b>	Black
<b>Fixture Material</b>	Aluminium
<b>Diffuser Colour</b>	Frost
<b>Diffuser Material</b>	Glass

## Size

<b>Fixture Diameter (cm)</b>	1.5
<b>Fixture Length (cm)</b>	7.5
<b>Fixture Width (cm)</b>	0.2
<b>Fixture Height (cm)</b>	7.5

## Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	3
<b>Wattage</b>	3W
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	240
<b>Color Temperature</b>	Warm White
<b>Color Kelvin</b>	3000k
<b>Color Rendering</b>	>84
<b>Dimmable</b>	No
<b>Beam Angle</b>	30
<b>Power Factor</b>	>0.85
<b>Control Gear Included</b>	Yes-inline


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Current Output</b>	300
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	No
<b>Approvals</b>	AS/NZ 3000
<b>Assembly Required</b>	No
<b>Installation Required</b>	Yes (by Licensed Electrician only)

Barcode

**GTIN** 9329501057988

Image -dimensions







Last modification

2021-07-29

**BREA 3-BK85**  
**9329501057995**



## Overview

<b>Family name</b>	Brea
<b>Item Type</b>	wall Bracket (WB)
<b>Mounting</b>	Recess
<b>By Room</b>	Stairs

## Color / Material

<b>Fixture Color 1</b>	Black
<b>Fixture Material</b>	Aluminium
<b>Diffuser Colour</b>	Frost
<b>Diffuser Material</b>	Glass

## Size

<b>Fixture Diameter (cm)</b>	1.5
<b>Fixture Length (cm)</b>	7.5
<b>Fixture Width (cm)</b>	0.2
<b>Fixture Height (cm)</b>	7.5

## Specification

<b>Voltage Input</b>	240V
<b>Wattage (max)</b>	3
<b>Wattage</b>	3W
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	240
<b>Color Temperature</b>	Cool White
<b>Color Kelvin</b>	5000k
<b>Color Rendering</b>	>84
<b>Dimmable</b>	No
<b>Beam Angle</b>	30
<b>Power Factor</b>	>0.85
<b>Control Gear Included</b>	Yes-inline

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Current Output</b>	300
<b>IP rating</b>	IP20
<b>Lead and Plug</b>	No
<b>Approvals</b>	AS/NZ 3000
<b>Assembly Required</b>	No
<b>Installation Required</b>	Yes (by Licensed Electrician only)

Barcode

**GTIN** 9329501057995

Image -dimensions

